

CTW 20

Chair Transport Trolley



Up to 45 chairs. One person.



Conference centre · Teardown after the event

CTW 20

The CTW 20 transports up to 45 non-upholstered stacking chairs safely stacked in the trolley – robust round steel tube frame, diagonal support struts against tipping, 4 castors with brake.

The powder-coated round steel tube frame with welded diagonal flat-steel struts holds the chairs, stacked at an angle, securely in place and prevents lateral tipping. Suitable for alysee stacking chairs such as C 20, C 21, C 26 and C 33. Load capacity up to 450 kg.



Educational facility · Transport between rooms

CTW 20 — Specifications

- rollable
- up to 45 non-upholstered stacking chairs
- diagonal struts for tip protection
- 2 swivel castors with brake, 2 swivel castors
- load capacity up to 450 kg
- optional: 4 castors with brake, special-flooring castors

Dimensions

Width	690 mm
Capacity	up to 45 chairs (non-upholstered)
Load capacity	450 kg



Loaded · up to 45 chairs in a single trolley

Material

Frame

Round steel tube and flat steel, powder-coated black, DIN 2393 ST 37.2, welded joints

Castors

2 swivel castors with brake + 2 swivel castors, solid rubber tyres black

Options

4 castors with brake, castors for special flooring