


T 3

Work table for office, canteen and training



Sturdy. Flexible. Economical.



T 3

The T 3 is a robust four-leg table for daily use in offices, canteens, training and seminar rooms. Two variants: T 3 R with round tube legs Ø 45 mm, T 3 Q with square tube legs 40/40 mm. Wide range of sizes and table shapes on request.

The T 3 programme is a versatile, practical and modern furniture — sturdy, easy to clean and available in almost any size.

The apron frame made of square tube holds the demountable legs securely; the T 3 Q variant uses 40/40 mm square tube legs for a more compact look.

Both variants are available in aluminium (anodised), black or white powder-coated; further RAL colours on request. Table tops in melamine, HPL, veneer or linoleum, with ABS or solid wood edge.

The T 3 programme can be extended in many ways: semicircular and trapezoidal tops for U-shape conference arrangements, modesty panels, table connectors, cable management and electrification systems.



T 3 — Specifications

- Four-leg frame, demountable
- T 3 R: round tube Ø 45 mm
- T 3 Q: square tube 40/40 mm
- Apron frame made of square tube
- Table shapes: rectangular, trapezoid, semicircle and special forms
- Cable management and electrification optional
- Table connectors for row arrangement optional

Dimensions

Standard widths	1200 / 1600 / 1800 / 2000 mm
Standard depth	800 mm
Table height	720 mm
Leg T 3 R	Ø 45 mm
Leg T 3 Q	40 × 40 mm

Custom sizes and table shapes (trapezoid, semicircle, quarter circle) on request. Table height 680–760 mm possible.

Options

- Semicircular and trapezoidal tops
- Modesty panel
- Table connector
- Cable management (underfloor or surface)
- Electrification system
- Media channel

Materials & Colours

Frame T 3 R

Square tube apron + round tube Ø 45 mm, powder-coated or anodised

Frame T 3 Q

Square tube apron + square tube 40/40 mm, powder-coated

Table top

Chipboard or MDF, melamine, HPL, veneer or linoleum

Edge

ABS or solid wood

Glides

Plastic, height-adjustable

Frame Colours



Aluminium



RAL 9005 Black



RAL 9010 White

Model Variants

T 3 R	Round tube frame Ø 45 mm, demountable
-------	---------------------------------------

T 3 Q	Square tube frame 40/40 mm
-------	----------------------------

